


ITEM NO.	QTY -041	PART NUMBER	DESCRIPTION	SUPPLIER
1	X	D4897-041	DOME LIGHT WIRING HARNESS	DART
2	2	D4872-1	LIGHT FIXTURE	DART
3	1	D4864-1	RHEOSTAT	DART
4	4	D4290-21	RING TERMINAL	DART
5	1	1-480305-0	CONNECTOR, PLUG	AMP
6	3	60618-1	CONTACT, PIN	AMP



WIRE NUMBER	LENGTH (in)
D4897-001B20	7.0
D4897-002B20	7.0
D4897-003B20	5.5
D4897-004A20	4.0
D4897-005A20	4.0
D4897-006A20	9.0


RELEASED
2013-09-16

D4897-041 DOME LIGHT WIRING HARNESS

- NOTES:
- 1) ALL NEW UNSHIELDED WIRE USE M22759/41-xx-9 TYPE WIRE UNLESS OTHERWISE SPECIFIED
 - 2) ALL WIRES 20 AWG UNLESS OTHERWISE SPECIFIED
 - 3) IDENTIFY/CODE ALL WIRES AND CABLES IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING
 - 4) KEEP ALL JUMPERS AS SHORT AS POSSIBLE.
 - 5) ALL TERMINALS TO BE INSTALLED IN ACCORDANCE WITH EUROCOPTER STANDARD PRACTICES MANUAL 20.80.20
 - 6) ALL CONNECTORS TO BE INSTALLED IN ACCORDANCE WITH TYCO ELECTRONICS INSTRUCTION SHEET 408-7201 DETENT-ENGAGEMENT MATE-N-LOCK CONNECTORS
 - 7) ROUTE ALL WIRES AND CABLES IN ACCORDANCE WITH CHAPTER 98 OF ICA129-2.
 - 8) UNITS: INCHES UNLESS OTHERWISE NOTED.
 - 9) IDENTIFY CONNECTORS WITH SHRINK SLEEVE LABELS IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING

A	NEW ISSUE	OS	13.07.24
REV.	DESCRIPTION	BY	DATE
DESIGN	OS	DART AEROSPACE USA, INC.	REV. A
DRAWN	OS	KENT, WA	SHEET 1 OF 3
CHECKED	CB	DRAWING NO.	D4897
MFG. APPR.	W	TITLE	DOME LIGHT WIRING HARNESS
APPROVED	OS	SCALE	N/A
DE APPR.	W	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC.	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.
DATE	13.07.24		

ITEM NO.	QTY -043	PART NUMBER	DESCRIPTION	SUPPLIER
1	X	D4897-043	DOME LIGHT WIRING HARNESS	DART
2	2	D4872-1	LIGHT FIXTURE	DART
3	2	D4864-3	RHEOSTAT	DART
4	4	D4290-21	RING TERMINAL	DART
5	1	1-480305-0	CONNECTOR, PLUG	AMP
6	3	60618-1	CONTACT, PIN	AMP



WIRE NUMBER	LENGTH (in)
D4897-001B20	7.0
D4897-002B20	7.0
D4897-003B20	5.5
D4897-004A20	4.0
D4897-005A20	4.0
D4897-006A20	8.0
D4897-007C20	7.5


RELEASED
2013-09-16
MP

D4897-043 DOME LIGHT WIRING HARNESS

- NOTES:
- 1) ALL NEW UNSHIELDED WIRE USE M22759/41-xx-9 TYPE WIRE UNLESS OTHERWISE SPECIFIED
 - 2) ALL WIRES 20 AWG UNLESS OTHERWISE SPECIFIED
 - 3) IDENTIFY/CODE ALL WIRES AND CABLES IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING
 - 4) KEEP ALL JUMPERS AS SHORT AS POSSIBLE
 - 5) ALL TERMINALS TO BE INSTALLED IN ACCORDANCE WITH EUROCOPTER STANDARD PRACTICES MANUAL 20.80.20
 - 6) ALL CONNECTORS TO BE INSTALLED IN ACCORDANCE WITH TYCO ELECTRONICS INSTRUCTION SHEET 408-7201 DETENT-ENGAGEMENT MATE-N-LOCK CONNECTORS
 - 7) ROUTE ALL WIRES AND CABLES IN ACCORDANCE WITH CHAPTER 98 OF ICA129-2
 - 8) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 9) IDENTIFY CONNECTORS WITH SHRINK SLEEVE LABELS IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING

DESIGN	OS	DART AEROSPACE USA, INC.	
DRAWN	OS	KENT, WA	
CHECKED	CB	DRAWING NO.	REV. A
MFG. APPR.	W	D4897	SHEET 2 OF 3
APPROVED	OS	TITLE	SCALE
DE APPR.	MP	DOME LIGHT WIRING HARNESS	NTS
DATE	13.07.24	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

ITEM NO.	QTY -045	PART NUMBER	DESCRIPTION	SUPPLIER
1	X	D4897-045	DOME LIGHT WIRING HARNESS	DART
2	1	1-480303-0	CONNECTOR, SOCKET	AMP
3	3	60617-1	CONTACT, SOCKET	AMP
4	3	8-320559-2	SPLICE	AMP



WIRE NUMBER	LENGTH (in)
D4897-001A20	4.0
D4897-002A20	4.0
D4897-003A20	4.0

D4897-045 DOME LIGHT WIRING HARNESS

RELEASED
2013-09-16

- NOTES:
- 1) ALL NEW UNSHIELDED WIRE USE M22759/41-xx-9 TYPE WIRE UNLESS OTHERWISE SPECIFIED
SOLDERABILITY CAN BE ACHIEVED WITH THE PROPER SOLDER.
 - 2) ALL WIRES 20 AWG UNLESS OTHERWISE SPECIFIED
 - 3) IDENTIFY/CODE ALL WIRES AND CABLES IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING
 - 4) KEEP ALL JUMPERS AS SHORT AS POSSIBLE.
 - 5) ALL TERMINALS TO BE INSTALLED IN ACCORDANCE WITH EUROCOPTER STANDARD PRACTICES MANUAL 20.80.20
 - 6) ALL CONNECTORS TO BE INSTALLED IN ACCORDANCE WITH TYCO ELECTRONICS INSTRUCTION SHEET 408-7201 DETENT-ENGAGEMENT MATE-N-LOCK CONNECTORS
 - 7) ROUTE ALL WIRES AND CABLES IN ACCORDANCE WITH CHAPTER 98 OF ICA129-2.
 - 8) UNITS: INCHES UNLESS OTHERWISE NOTED.
 - 9) IDENTIFY CONNECTORS WITH SHRINK SLEEVE LABELS IN ACCORDANCE WITH AC43.13-1B, SECTION 16, WIRE MARKING

DESIGN	OS	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	OS		
CHECKED	CB	DRAWING NO.	REV. A
MFG. APPR.	U	D4897	SHEET 3 OF 3
APPROVED	JE	TITLE	SCALE
DE APPR.	TH	DOME LIGHT WIRING HARNESS	
DATE	13.07.24	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	